ReverTra Ace

(MMLV Reverse Transcriptase RNaseH-)

Code No. TRT-

Lot No. *****

Storage Store at -20°C

Size 10,000units(101) 50,000units(102)

Source : Escherichia coli DH5 (pDV68)

Concentration : $100 \text{ units/}\mu\text{l}$

Unit Definition : One unit is the amount of enzyme activity that incorporates 1 nmole of dTTP into

acid insoluble fraction in 10 minutes at 42°C when poly(A)+ RNA and oligo (dT)₂₀

are used as template-primer.

Assay Condition : 50 mM Tris-HCl(pH8.3)

 $\begin{array}{cccc} 75 & \text{mM} & \text{KCI} \\ 3 & \text{mM} & \text{MgCI}_2 \\ 10 & \text{mM} & \text{DTT} \end{array}$

 $\begin{array}{cccc} 240 & \mu g/ml & poly(A)^{+} RNA \\ 0.1 & \mu M & oligo \left(dT\right)_{20} \\ 1 & mM & dTTP \end{array}$

0.3 μ M [methyl- 3 H]dTTP

Storage Buffer : 20 mM Tris-HCl(pH7.5)

100 mM NaCl 0.1 mM EDTA

10 mM 2-mercaptoethanol

0.01 % NP-40 50 % Glycerol

5 X Buffer : Not containing dNTPs. cDNA synthesis reaction requires1mM of dNTPs.

Quality Control

1. RNase Activity : When 50 units of this enzyme were incubated with 0.5 μg of MS2 RNA for 1 hour

at 42°C, RNase activity was not observed after agarose gel electrophoresis.

Remarks Research Use Only. Not for Human Use.